

### **Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS**

**DATE ISSUED 12/27/2024** 

#### **SAMPLE DETAILS**

SAMPLE NAME: R&R 5mg Full Spectrum Dog Chews - Lot 6006

Infused, Colorado Infused

**CULTIVATOR / MANUFACTURER** 

**Business Name:** License Number:

Address:

SAMPLE DETAIL

**Batch Number:** Sample ID: 241220M034 Date of Sampling: 12/20/2024

Time of Sampling: 11:20 a.m.

Sampler Name: Sampler Company: **DISTRIBUTOR / TESTED FOR** 

Business Name: R&R CBD

License Number:

Address:

Date Collected: 12/20/2024 Date Received: 12/20/2024

Batch Size:

Sample Size: 1.0 units

Unit Mass: 2.2 grams per Unit Serving Size: 2.2 grams per Serving





Scan QR code to verify authenticity of results

#### **CANNABINOID ANALYSIS - SUMMARY**

Total THC: 0.200 mg/unit

Total CBD: 5.086 mg/unit

Sum of Cannabinoids: 5.837 mg/unit

Total Cannabinoids: 5.837 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC =  $\Delta^9$ -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids =  $\Delta^9$ -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ<sup>8</sup>-THC + CBL + CBN Total Cannabinoids =  $(\Delta^9$ -THC+0.877\*THCa) + (CBD+0.877\*CBDa) +

(CBG+0.877\*CBGa) + (THCV+0.877\*THCVa) + (CBC+0.877\*CBCa) + (CBDV+0.877\*CBDVa) + Δ<sup>8</sup>-THC + CBL + CBN

**TERPENOID ANALYSIS - SUMMARY** 

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: 0.0059%

β-Caryophyllene 0.041 mg/g 🛑 α-Cedrene 0.018 mg/g 🛑 Caryophyllene Oxide <LOQ

#### **SAFETY ANALYSIS - SUMMARY**

Pesticides: PASS Mycotoxins: PASS Residual Solvents: PASS Heavy Metals: OPASS

Microbiology (PCR): PASS Microbiology (Plating): PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: 6 CCR 1010-21 Colorado Wholesale Food, Industrial Hemp, and Shellfish Regulations; where applicable

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOO), not detected (ND), not tested (NT).  $\mu g/g = ppm$ ,  $\mu g/kg = ppb$ , too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

Approved by: Josh Wurzer Title: Chief Compliance Officer Date: 12/27/2024

Amendment to Certificate of Analysis 241220M034-001







## Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 0.200 mg/unit

Total THC (Δ<sup>9</sup>-THC+0.877\*THCa)

TOTAL CBD: 5.086 mg/unit

Total CBD (CBD+0.877\*CBDa)

TOTAL CANNABINOIDS: 5.837 mg/unit

 $\begin{array}{l} Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + \\ (Total \ CBG) + (Total \ THCV) + (Total \ CBC) + \\ (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{array}$ 

TOTAL CBG: 0.070 mg/unit

Total CBG (CBG+0.877\*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877\*THCVa)

TOTAL CBC: 0.356 mg/unit

Total CBC (CBC+0.877\*CBCa)

TOTAL CBDV: 0.084 mg/unit

Total CBDV (CBDV+0.877\*CBDVa)

#### **CANNABINOID TEST RESULTS - 12/23/2024**

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±0.0862	2.312	0.2312
СВС	0.003 / 0.010	±0.0052	0.162	0.0162
Δ <sup>9</sup> -THC	0.002 / 0.014	±0.0050	0.091	0.0091
CBDV	0.002 / 0.012	±0.0016	0.038	0.0038
CBG	0.002 / 0.006	±0.0016	0.032	0.0032
CBN	0.001 / 0.007	±0.0005	0.018	0.0018
CBDa	0.001 / 0.026	N/A	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
$\Delta^8$ -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002/0.019	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBL	0.003 / 0.010	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNA	BINOIDS		2.653 mg/g	0.2653%

### Unit Mass: 2.2 grams per Unit / Serving Size: 2.2 grams per Serving

$\Delta^9$ -THC per Unit	0.200 mg/unit
$\Delta^9$ -THC per Serving	0.200 mg/serving
Total THC per Unit	0.200 mg/unit
Total THC per Serving	0.200 mg/serving
CBD per Unit	5.086 mg/unit
CBD per Serving	5.086 mg/serving
Total CBD per Unit	5.086 mg/unit
Total CBD per Serving	5.086 mg/serving
Sum of Cannabinoids per Unit	5.837 mg/unit
Sum of Cannabinoids per Serving	5.837 mg/serving
Total Cannabinoids per Unit	5.837 mg/unit
Total Cannabinoids per Serving	5.837 mg/serving



# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED 12/27/2024





### **Terpenoid Analysis**

Terpene analysis utilizing gas chromatographyflame ionization detection (GC-FID).

Method: QSP 1192 - Analysis of Terpenoids by GC-FID



### **β-Caryophyllene**

A sesquiterpene with a fragrance that can be described as spicy, woody, dry, dusty and mildly sweet. It was one of the first organic compounds to fully synthesized in a laboratory and plays a role in the endocannabinoid system as it is a functional CB<sub>2</sub> receptor agonist. Found in black pepper, clove, hops, rosemary, black-jack, perilla, spicebush, Indian pennywort, celery, frankincense, vitex, parsley, marigold, tamarind...etc.



#### α-Cedrene

One of two isomers of the sesquiterpene Cedrene. It has a fragrance that can be described as woody, sweet and fresh. Found in cedar, safflower, germander...etc.



### Caryophyllene Oxide

A sesquiterpene epoxide with a fragrance that can be described as fresh, sweet, dry, woody and spicy. It is a component used by drug-sniffing dogs to identify cannabis. It does interact with the endocannabinoid system. Found in field wormwood, salt heliotrope, cinnamon, sticky sage, basil, waterbessie...etc.

#### **TERPENOID TEST RESULTS - 12/23/2024**

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
β-Caryophyllene	0.004 / 0.012	±0.0011	0.041	0.0041
α-Cedrene	0.005 / 0.016	±0.0004	0.018	0.0018
Caryophyllene Oxide	0.010 / 0.033	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.009 / 0.030	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Bisabolol	0.008 / 0.026	N/A	ND	ND
α-Humulene	0.009 / 0.180	N/A	ND	ND
α-Phellandrene	0.006 / 0.036	N/A	ND	ND
α-Pinene	0.005 / 0.036	N/A	ND	ND
α-Terpinene	0.005 / 0.017	N/A	ND	ND
β-Ocimene	0.006 / 0.025	N/A	ND	ND
β-Pinene	0.004 / 0.014	N/A	ND	ND
Borneol	0.005 / 0.016	N/A	ND	ND
Camphene	0.005 / 0.015	N/A	ND	ND
Camphor	0.006 / 0.036	N/A	ND	ND
Cedrol	0.008 / 0.027	N/A	ND	ND
Citronellol	0.003 / 0.036	N/A	ND	ND
$\Delta^3$ -Carene	0.005 / 0.018	N/A	ND	ND
Eucalyptol	0.006 / 0.018	N/A	ND	ND
Fenchol	0.010 / 0.036	N/A	ND	ND
Fenchone	0.009/0.036	N/A	ND	ND
γ-Terpinene	0.006 / 0.018	N/A	ND	ND
Geraniol	0.002 / 0.036	N/A	ND	ND
Geranyl Acetate	0.004 / 0.036	N/A	ND	ND
Isoborneol	0.004 / 0.012	N/A	ND	ND
Isopulegol	0.005/0.036	N/A	ND	ND
Limonene	0.005/0.036	N/A	ND	ND
Linalool	0.009/0.036	N/A	ND	ND
Menthol	0.008 / 0.025	N/A	ND	ND
Myrcene	0.008 / 0.025	N/A	ND	ND
Nerol	0.003 / 0.036	N/A	ND	ND
Nerolidol	0.006 / 0.021	N/A	ND	ND
p-Cymene	0.005 / 0.016	N/A	ND	ND
Pulegone	0.003 / 0.011	N/A	ND	ND
Sabinene	0.004 / 0.014	N/A	ND	ND
Sabinene Hydrate	0.006 / 0.036	N/A	ND	ND
Terpineol	0.009/0.031	N/A	ND	ND
Terpinolene	0.008 / 0.036	N/A	ND	ND
trans-β-Farnesene	0.008 / 0.025	N/A	ND	ND
Valencene	0.009 / 0.180	N/A	ND	ND
TOTAL TERPENOIDS			0.059 mg/g	0.0059%







### **Pesticide Analysis**

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). ‡Analytes part of our California Select Panel.

\*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

### PESTICIDE TEST RESULTS - 12/23/2024 PASS

Acephate         0.006/0.018         0.05         N/A         ND         PASS           Acequinocyl         0.009/0.027         ≥ LOQ         N/A         ND         PASS           Acetamiprid         0.016/0.049         0.05         N/A         ND         PASS           Aldicarb         0.030/0.090         0.5         N/A         ND         PASS           Allethrin         0.030/0.092         0.1         N/A         ND         PASS           Allethrin         0.030/0.092         0.1         N/A         ND         PASS           Azadirachtin         0.082/0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Bifenzate         0.003/0.009         0.01         N/A         ND         PASS           Bifentazate         0.003/0.009         0.01         N/A         ND         PASS           Boscalid         0.003/0.009         0.01         N/A         ND         PASS           Buprofezin¹*         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007/0.020         0.025         N/A	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Acequinocy!         0.009/0.027         ≥ LOQ         N/A         ND         PASS           Acetamiprid         0.016/0.049         0.05         N/A         ND         PASS           Aldicarb         0.030/0.099         0.5         N/A         ND         PASS           Allethrin         0.030/0.099         0.1         N/A         ND         PASS           Altrazine         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Arzadirachtin         0.082/0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Benzovindifilupyr         0.003/0.009         0.01         N/A         ND         PASS           Bifenate         0.003/0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021/0.044         ≥ LOQ         N/A         ND         PASS           Buprofezin¹         0.004/0.019         ≥ LOQ         N/A         ND         PASS           Carbofura         0.003/0.009         0.01         N/A         ND         PASS           Carbofura         0.003/0.008         0.01         N/	Abamectin	0.032 / 0.097	0.25	N/A	ND	PASS
Acetamiprid         0.016/0.049         0.05         N/A         ND         PASS           Aldicarb         0.030/0.090         0.5         N/A         ND         PASS           Allethrin         0.030/0.092         0.1         N/A         ND         PASS           Arazine         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Azazirichtin         0.002/0.0248         0.5         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         0.01         N/A         ND         PASS           Bifentate         0.003/0.009         0.01         N/A         ND         PASS           Bisenthrin         0.021/0.064         ≥ LOQ         N/A         ND         PASS           Buprofezin¹         0.003/0.009         0.01         N/A         ND         PASS           Carbaryl         0.006/0.018         ≥ LOQ         N/	Acephate	0.006 / 0.018	0.05	N/A	ND	PASS
Aldicarb         0.030/0.090         0.5         N/A         ND         PASS           Allethrin         0.030/0.092         0.1         N/A         ND         PASS           Atrazine         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Azadriachtin         0.082/0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003/0.009         0.01         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         0.01         N/A         ND         PASS           Bifenatate         0.003/0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021/0.044         ≥ LOQ         N/A         ND         PASS           Buprofezin¹         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007/0.020         0.025         N/A         ND         PASS           Carbofuran         0.003/0.008         0.01         N/A         ND         PASS           Chloratraniliprole         0.006/0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyrifos         0.013/0.039         0.5	Acequinocyl	0.009/0.027	≥LOQ	N/A	ND	PASS
Allethrin         0.030 / 0.092         0.1         N/A         ND         PASS           Atrazine         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Azadirachtin         0.082 / 0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003 / 0.009         0.01         N/A         ND         PASS           Benzovindiflupyr         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenzate         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003 / 0.009         0.01         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.025         N/A         ND         PASS           Carborura         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorepyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Chlorepyrifos         0.013 / 0.039         <	Acetamiprid	0.016 / 0.049	0.05	N/A	ND	PASS
Atrazine         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Azadirachtin         0.082 / 0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003 / 0.009         0.01         N/A         ND         PASS           Benzovindiflupyr         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         ≥ LOQ         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003 / 0.009         0.01         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Carborura         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorepyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clofentezine         0.003 / 0.00	Aldicarb	0.030 / 0.090	0.5	N/A	ND	PASS
Azadirachtin         0.082 / 0.248         0.5         N/A         ND         PASS           Azoxystrobin         0.003 / 0.009         0.01         N/A         ND         PASS           Benzovindiflupyr         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenatate         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003 / 0.009         0.01         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorenterine         0.003 / 0.015         1.5         N/A         ND         PASS           Chlorenterine         0.003 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clofentezine         0.003 / 0.009	Allethrin	0.030 / 0.092	0.1	N/A	ND	PASS
Azoxystrobin   0.003/0.009   0.01   N/A   ND   PASS	Atrazine	0.006 / 0.019	≥LOQ	N/A	ND	PASS
Benzovindiflupyr         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenazate         0.003 / 0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003 / 0.009         0.01         N/A         ND         PASS           Buprofezin†         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.025         N/A         ND         PASS           Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Chloratraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.0	Azadirachtin	0.082 / 0.248	0.5	N/A	ND	PASS
Bifenazate         0.003/0.009         0.01         N/A         ND         PASS           Bifenthrin         0.021/0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003/0.009         0.01         N/A         ND         PASS           Buprofezin†         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007/0.020         0.025         N/A         ND         PASS           Carbofuran         0.003/0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyrifos         0.013/0.039         0.5         N/A         ND         PASS           Clofentezine         0.003/0.039         0.5         N/A         ND         PASS           Clothianidin         0.008/0.025         0.025         N/A         ND         PASS           Clothianidin         0.008/0.025         0.025         N/A         ND         PASS           Coumaphos         0.003/0.010         0.01         N/A         ND         PASS           Cyprotdinif         0.003/0.010         0.01	Azoxystrobin	0.003 / 0.009	0.01	N/A	ND	PASS
Bifenthrin         0.021/0.064         ≥ LOQ         N/A         ND         PASS           Boscalid         0.003/0.009         0.01         N/A         ND         PASS           Buprofezin†         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007/0.020         0.025         N/A         ND         PASS           Carbofuran         0.003/0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         ≥ LOQ         N/A         ND         PASS           Chlorfenapyr*         0.005/0.015         1.5         N/A         ND         PASS           Chlorpyrifos         0.013/0.039         0.5         N/A         ND         PASS           Clofentezine         0.003/0.009         0.01         N/A         ND         PASS           Clofentezine         0.003/0.009         0.01         N/A         ND         PASS           Clofentezine         0.003/0.009         0.01         N/A         ND         PASS           Clothianidin         0.008/0.025         0.025         N/A         ND         PASS           Cyantraniliprole         0.003/0.010         0.01	Benzovindiflupyr	0.003 / 0.009	0.01	N/A	ND	PASS
Boscalid         0.003 / 0.009         0.01         N/A         ND         PASS           Buprofezin‡         0.006 / 0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.025         N/A         ND         PASS           Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorfenapyr*         0.005 / 0.015         1.5         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         ≥ LOQ         N/A         ND         PASS           Cyprodinil*         0.003 / 0.08<	Bifenazate	0.003 / 0.009	0.01	N/A	ND	PASS
Buprofezin‡         0.006/0.019         ≥ LOQ         N/A         ND         PASS           Carbaryl         0.007/0.020         0.025         N/A         ND         PASS           Carbofuran         0.003/0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyrifos         0.013/0.039         0.5         N/A         ND         PASS           Chlorpyrifos         0.013/0.039         0.5         N/A         ND         PASS           Clofentezine         0.003/0.009         0.01         N/A         ND         PASS           Clothianidin         0.008/0.025         0.025         N/A         ND         PASS           Coumaphos         0.003/0.010         0.01         N/A         ND         PASS           Cyantraniliprole         0.003/0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052/0.159         ≥ LOQ         N/A         ND         PASS           Cyprodinil‡         0.003/0.008         0.01         N/A         ND         PASS           Cyprodinil‡         0.003/0.008         0.01 </th <td>Bifenthrin</td> <td>0.021 / 0.064</td> <td>≥LOQ</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Bifenthrin	0.021 / 0.064	≥LOQ	N/A	ND	PASS
Carbaryl         0.007 / 0.020         0.025         N/A         ND         PASS           Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyr*         0.005 / 0.015         1.5         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.099         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         ≥ LOQ         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         0.01         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         0.01         N/A         ND         PASS           Daminozide         0.026 / 0.077 <td>Boscalid</td> <td>0.003 / 0.009</td> <td>0.01</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Boscalid	0.003 / 0.009	0.01	N/A	ND	PASS
Carbofuran         0.003 / 0.008         0.01         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorpyrifos         0.005 / 0.015         1.5         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         ≥ LOQ         N/A         ND         PASS           Cypremethrin         0.051 / 0.153         ≥ LOQ         N/A         ND         PASS           Cyprodinil <sup>±</sup> 0.003 / 0.008         0.01         N/A         ND         PASS           Daminozide         0.026 / 0.077         ≥ LOQ         N/A         ND         PASS           Diazinon         0.006 / 0.017         ≥ LOQ         N/A         ND         PASS           Dimethoate         0.003 / 0.009<	Buprofezin <sup>‡</sup>	0.006 / 0.019	≥LOQ	N/A	ND	PASS
Chlorantraniliprole         0.006 / 0.018         ≥ LOQ         N/A         ND         PASS           Chlorfenapyr*         0.005 / 0.015         1.5         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyntutriniliprole         0.003 / 0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         ≥ LOQ         N/A         ND         PASS           Cyprodinil*         0.003 / 0.05         0.01         N/A         ND         PASS           Cyprodinil*         0.003 / 0.077         ≥ LOQ         N/A         ND         PASS           Daminozide         0.026 / 0.077         ≥ LOQ         N/A         ND         PASS           Diazinon         0.006 / 0.017         ≥ LOQ         N/A         ND         PASS           Dimethoate         0.003 / 0.	Carbaryl	0.007 / 0.020	0.025	N/A	ND	PASS
Chlorfenapyr* $0.005/0.015$ $1.5$ $N/A$ $ND$ PASS Chlorpyrifos $0.013/0.039$ $0.5$ $N/A$ $ND$ PASS Chlorpyrifos $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Clofentezine $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Clothianidin $0.008/0.025$ $0.025$ $N/A$ $ND$ PASS Coumaphos $0.003/0.010$ $0.01$ $N/A$ $ND$ PASS Cyantraniliprole $0.003/0.010$ $0.01$ $N/A$ $ND$ PASS Cyfluthrin $0.052/0.159$ ≥ $LOQ$ $N/A$ $ND$ PASS Cypermethrin $0.051/0.153$ ≥ $LOQ$ $N/A$ $ND$ PASS Cypermethrin $0.051/0.153$ ≥ $LOQ$ $N/A$ $ND$ PASS Deltamethrin $0.059/0.180$ ≥ $LOQ$ $N/A$ $ND$ PASS Diazinon $0.006/0.017$ ≥ $LOQ$ $N/A$ $ND$ PASS Diazinon $0.006/0.017$ ≥ $LOQ$ $N/A$ $ND$ PASS Diazinon $0.006/0.017$ ≥ $LOQ$ $N/A$ $ND$ PASS Dimethoate $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Dimethoate $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Dimethoate $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Dimethoate $0.016/0.050$ ≥ $LOQ$ $N/A$ $ND$ PASS Dimethoate $0.016/0.030$ $0.05$ $N/A$ $ND$ PASS Dimethoate $0.016/0.030$ $0.05$ $N/A$ $ND$ PASS Dimethoate $0.013/0.040$ ≥ $LOQ$ $N/A$ $ND$ PASS Dimethoate $0.013/0.040$ ≥ $LOQ$ $N/A$ $ND$ PASS Dimethoate $0.013/0.040$ ≥ $LOQ$ $N/A$ $ND$ PASS Diazinon $0.016/0.035$ ≥ $LOQ$ $N/A$ $ND$ PASS Diazinon $0.016/0.030$ $0.05$ $N/A$ $ND$ PASS Diazinon $0.013/0.040$ ≥ $LOQ$ $0.05$ $0.05$ $0.07$ $0.0$	Carbofuran	0.003 / 0.008	0.01	N/A	ND	PASS
Chlorpyrifos         0.013 / 0.039         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.01         N/A         ND         PASS           Clothianidin         0.008 / 0.025         0.025         N/A         ND         PASS           Coumaphos         0.003 / 0.010         0.01         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         0.01         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         ≥ LOQ         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         ≥ LOQ         N/A         ND         PASS           Cyprodinil†         0.003 / 0.008         0.01         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         ≥ LOQ         N/A         ND         PASS           Diazinon         0.006 / 0.017         ≥ LOQ         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         0.05         N/A         ND         PASS           Dimethoate         0.003 / 0.009         0.01         N/A         ND         PASS           Dimethomorph         0.016 / 0.	Chlorantraniliprole	0.006 / 0.018	≥LOQ	N/A	ND	PASS
Clothianidin $0.003/0.009$ $0.01$ $N/A$ $ND$ PASS Clothianidin $0.008/0.025$ $0.025$ $N/A$ $ND$ PASS Coumaphos $0.003/0.010$ $0.01$ $N/A$ $ND$ PASS Cyantraniliprole $0.003/0.010$ $0.01$ $N/A$ $ND$ PASS Cyfluthrin $0.052/0.159 \ge LOQ$ $N/A$ $ND$ PASS Cyfluthrin $0.052/0.159 \ge LOQ$ $N/A$ $ND$ PASS Cyprodinil $^{\ddagger}$ $0.003/0.008$ $0.01$ $N/A$ $ND$ PASS Daminozide $0.026/0.077 \ge LOQ$ $0.01$ $0.0$	Chlorfenapyr*	0.005 / 0.015	1.5	N/A	ND	PASS
Clothianidin $0.008/0.025$ $0.025$ $N/A$ ND         PASS           Coumaphos $0.003/0.010$ $0.01$ $N/A$ ND         PASS           Cyantraniliprole $0.003/0.010$ $0.01$ $N/A$ ND         PASS           Cyfluthrin $0.052/0.159$ $\ge LOQ$ $N/A$ ND         PASS           Cypermethrin $0.051/0.153$ $\ge LOQ$ $N/A$ ND         PASS           Cyprodinil‡ $0.003/0.008$ $0.01$ $N/A$ ND         PASS           Daminozide $0.026/0.077$ $\ge LOQ$ $N/A$ ND         PASS           Deltamethrin $0.059/0.180$ $\ge LOQ$ $N/A$ ND         PASS           Diazinon $0.006/0.017$ $\ge LOQ$ $N/A$ ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ $N/A$ ND         PASS           Dimethoate $0.003/0.009$ $0.01$ $N/A$ ND         PASS           Dimethomorph $0.016/0.030$ $\ge LOQ$ $N/A$ ND         PASS	Chlorpyrifos	0.013 / 0.039	0.5	N/A	ND	PASS
Coumaphos $0.003/0.010$ $0.01$ $N/A$ ND         PASS           Cyantraniliprole $0.003/0.010$ $0.01$ $N/A$ ND         PASS           Cyfluthrin $0.052/0.159$ $\geq LOQ$ $N/A$ ND         PASS           Cypermethrin $0.051/0.153$ $\geq LOQ$ $N/A$ ND         PASS           Cyprodinil† $0.003/0.008$ $0.01$ $N/A$ ND         PASS           Daminozide $0.026/0.077$ $\geq LOQ$ $N/A$ ND         PASS           Deltamethrin $0.059/0.180$ $\geq LOQ$ $N/A$ ND         PASS           Diazinon $0.006/0.017$ $\geq LOQ$ $N/A$ ND         PASS           Dinchlorvos (DDVP) $0.012/0.038$ $0.05$ $N/A$ ND         PASS           Dimethoate $0.003/0.009$ $0.01$ $N/A$ ND         PASS           Dimethomorph $0.016/0.050$ $\geq LOQ$ $N/A$ ND         PASS           Diuron $0.013/0.040$ $\geq LOQ$ $N/A$ ND         PASS	Clofentezine	0.003 / 0.009	0.01	N/A	ND	PASS
Cyantraniliprole $0.003/0.010$ $0.01$ $N/A$ ND         PASS           Cyfluthrin $0.052/0.159$ $\ge LOQ$ $N/A$ ND         PASS           Cypermethrin $0.051/0.153$ $\ge LOQ$ $N/A$ ND         PASS           Cyprodinil‡ $0.003/0.008$ $0.01$ $N/A$ ND         PASS           Daminozide $0.026/0.077$ $\ge LOQ$ $N/A$ ND         PASS           Deltamethrin $0.059/0.180$ $\ge LOQ$ $N/A$ ND         PASS           Diazinon $0.006/0.017$ $\ge LOQ$ $N/A$ ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ $N/A$ ND         PASS           Dimethoate $0.003/0.009$ $0.01$ $N/A$ ND         PASS           Dimethomorph $0.016/0.030$ $\ge LOQ$ $N/A$ ND         PASS           Diuron $0.013/0.040$ $\ge LOQ$ $N/A$ ND         PASS           Dodemorph $0.016/0.048$ $2.5$ $N/A$ ND         PASS <t< th=""><td>Clothianidin</td><td>0.008 / 0.025</td><td>0.025</td><td>N/A</td><td>ND</td><td>PASS</td></t<>	Clothianidin	0.008 / 0.025	0.025	N/A	ND	PASS
Cyfluthrin $0.052/0.159$ ≥ LOQ         N/A         ND         PASS           Cypermethrin $0.051/0.153$ ≥ LOQ         N/A         ND         PASS           Cyprodinil‡ $0.003/0.008$ $0.01$ N/A         ND         PASS           Daminozide $0.026/0.077$ ≥ LOQ         N/A         ND         PASS           Deltamethrin $0.059/0.180$ ≥ LOQ         N/A         ND         PASS           Diazinon $0.006/0.017$ ≥ LOQ         N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ N/A         ND         PASS           Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ ≥ LOQ         N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ N/A         ND         PASS           Endosulfan $0.006/0.019$	Coumaphos	0.003 / 0.010	0.01	N/A	ND	PASS
Cypermethrin $0.051/0.153$ $\ge LOQ$ N/A         ND         PASS           Cyprodinil‡ $0.003/0.008$ $0.01$ N/A         ND         PASS           Daminozide $0.026/0.077$ $\ge LOQ$ N/A         ND         PASS           Deltamethrin $0.059/0.180$ $\ge LOQ$ N/A         ND         PASS           Diazinon $0.006/0.017$ $\ge LOQ$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ N/A         ND         PASS           Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ $\ge LOQ$ N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ $\ge LOQ$ N/A         ND         PASS           Dodemorph $0.012/0.035$ $\ge LOQ$ N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ N/A         ND         PASS           Endosulfan-β*	Cyantraniliprole	0.003 / 0.0 <mark>10</mark>	0.01	N/A	ND	PASS
Cyprodinil‡ $0.003/0.008$ $0.01$ $N/A$ ND         PASS           Daminozide $0.026/0.077$ $\geq LOQ$ $N/A$ ND         PASS           Deltamethrin $0.059/0.180$ $\geq LOQ$ $N/A$ ND         PASS           Diazinon $0.006/0.017$ $\geq LOQ$ $N/A$ ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ $N/A$ ND         PASS           Dimethoate $0.003/0.009$ $0.01$ $N/A$ ND         PASS           Dimethomorph $0.016/0.050$ $\geq LOQ$ $N/A$ ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ $N/A$ ND         PASS           Diuron $0.013/0.040$ $\geq LOQ$ $N/A$ ND         PASS           Dodemorph $0.012/0.035$ $\geq LOQ$ $N/A$ ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ $N/A$ ND         PASS           Endosulfan- $\alpha^*$ $0.004/0.014$ $2.5$ $N/A$ ND         PASS	Cyfluthrin	0.052 / <mark>0.159</mark>	≥LOQ	N/A	ND	PASS
Daminozide $0.026/0.077$ ≥ LOQ         N/A         ND         PASS           Deltamethrin $0.059/0.180$ ≥ LOQ         N/A         ND         PASS           Diazinon $0.006/0.017$ ≥ LOQ         N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ N/A         ND         PASS           Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ ≥ LOQ         N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ N/A         ND         PASS           Endosulfan- $α$ * $0.004/0.014$ $2.5$ N/A         ND         PASS           Endosulfan- $β$ * $0.006/0.019$ $2.5$ N/A         ND         PASS           Ethoprophos         <	Cypermethrin	0.051 / 0.153	≥LOQ	N/A	ND	PASS
Deltamethrin $0.059/0.180$ $\ge LOQ$ N/A         ND         PASS           Diazinon $0.006/0.017$ $\ge LOQ$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ N/A         ND         PASS           Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ $\ge LOQ$ N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ $\ge LOQ$ N/A         ND         PASS           Dodemorph $0.012/0.035$ $\ge LOQ$ N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ N/A         ND         PASS           Endosulfan- $\alpha^*$ $0.004/0.014$ $2.5$ N/A         ND         PASS           Endosulfan- $\beta^*$ $0.006/0.019$ $2.5$ N/A         ND         PASS           Ethoprophos $0.003/0.009$ $0.01$ N/A         ND         PASS	Cyprodinil <sup>‡</sup>	0.003/0.008	0.01	N/A	ND	PASS
Diazinon $0.006/0.017$ ≥ LOQ         N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ $0.05$ N/A         ND         PASS           Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ ≥ LOQ         N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan- $\alpha$ * $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan- $\beta$ * $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ $0.01$ N/A         ND         PASS	Daminozide	0.026 / 0.077	≥LOQ	N/A	ND	PASS
Dichlorvos (DDVP) $0.012/0.038$ $0.05$ $N/A$ ND         PASS           Dimethoate $0.003/0.009$ $0.01$ $N/A$ ND         PASS           Dimethomorph $0.016/0.050$ $\ge LOQ$ $N/A$ ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ $N/A$ ND         PASS           Diuron $0.013/0.040$ $\ge LOQ$ $N/A$ ND         PASS           Dodemorph $0.012/0.035$ $\ge LOQ$ $N/A$ ND         PASS           Endosulfan sulfate $0.016/0.048$ $2.5$ $N/A$ ND         PASS           Endosulfan- $\alpha^*$ $0.004/0.014$ $2.5$ $N/A$ ND         PASS           Endosulfan- $\beta^*$ $0.006/0.019$ $2.5$ $N/A$ ND         PASS           Ethoprophos $0.003/0.009$ $0.01$ $N/A$ ND         PASS	Deltamethrin	0.059 / 0.180	≥LOQ	N/A	ND	PASS
Dimethoate $0.003/0.009$ $0.01$ N/A         ND         PASS           Dimethomorph $0.016/0.050$ ≥ LOQ         N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan-α* $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan-β* $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ $0.01$ N/A         ND         PASS	Diazinon	0.006 / 0.017	≥LOQ	N/A	ND	PASS
Dimethomorph $0.016/0.050$ ≥ LOQ         N/A         ND         PASS           Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan-α* $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan-β* $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ 0.01         N/A         ND         PASS	Dichlorvos (DDVP)	0.012 / 0.038	0.05	N/A	ND	PASS
Dinotefuran $0.010/0.030$ $0.05$ N/A         ND         PASS           Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan-α* $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan-β* $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ 0.01         N/A         ND         PASS	Dimethoate	0.003 / 0.009	0.01	N/A	ND	PASS
Diuron $0.013/0.040$ ≥ LOQ         N/A         ND         PASS           Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan-α* $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan-β* $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ 0.01         N/A         ND         PASS	Dimethomorph	0.016 / 0.050	≥LOQ	N/A	ND	PASS
Dodemorph $0.012/0.035$ ≥ LOQ         N/A         ND         PASS           Endosulfan sulfate $0.016/0.048$ 2.5         N/A         ND         PASS           Endosulfan-α* $0.004/0.014$ 2.5         N/A         ND         PASS           Endosulfan-β* $0.006/0.019$ 2.5         N/A         ND         PASS           Ethoprophos $0.003/0.009$ 0.01         N/A         ND         PASS	Dinotefuran	0.010 / 0.030	0.05	N/A	ND	PASS
Endosulfan sulfate         0.016/0.048         2.5         N/A         ND         PASS           Endosulfan-α*         0.004/0.014         2.5         N/A         ND         PASS           Endosulfan-β*         0.006/0.019         2.5         N/A         ND         PASS           Ethoprophos         0.003/0.009         0.01         N/A         ND         PASS	Diuron	0.013 / 0.040	≥LOQ	N/A	ND	PASS
Endosulfan- $\alpha^*$ 0.004 / 0.014         2.5         N/A         ND         PASS           Endosulfan- $\beta^*$ 0.006 / 0.019         2.5         N/A         ND         PASS           Ethoprophos         0.003 / 0.009         0.01         N/A         ND         PASS	Dodemorph	0.012 / 0.035	≥LOQ	N/A	ND	PASS
Endosulfan-β*         0.006 / 0.019         2.5         N/A         ND         PASS           Ethoprophos         0.003 / 0.009         0.01         N/A         ND         PASS	Endosulfan sulfate	0.016 / 0.048	2.5	N/A	ND	PASS
Ethoprophos         0.003 / 0.009         0.01         N/A         ND         PASS	Endosulfan- $lpha^*$	0.004 / 0.014	2.5	N/A	ND	PASS
	Endosulfan-β*	0.006 / 0.019	2.5	N/A	ND	PASS
Etofenprox         0.014 / 0.042         ≥ LOQ         N/A         ND         PASS	Ethoprophos	0.003 / 0.009	0.01	N/A	ND	PASS
	Etofenprox	0.014 / 0.042	≥LOQ	N/A	ND	PASS
Etoxazole         0.007 / 0.020         ≥ LOQ         N/A         ND         PASS	Etoxazole	0.007 / 0.020	≥LOQ	N/A	ND	PASS

Continued on next page







### Pesticide Analysis Continued

### PESTICIDE TEST RESULTS - 12/23/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Etridiazole*	0.002 / 0.005	0.15	N/A	ND	PASS
Fenhexamid	0.003 / 0.008	≥LOQ	N/A	ND	PASS
Fenoxycarb	0.003/0.010	0.01	N/A	ND	PASS
Fenpyroximate	0.007/0.020	≥LOQ	N/A	ND	PASS
Fensulfothion	0.003/0.010	0.01	N/A	ND	PASS
Fenthion	0.003/0.010	0.01	N/A	ND	PASS
Fenvalerate <sup>‡</sup>	0.033/0.099	≥LOQ	N/A	ND	PASS
Fipronil	0.003/0.010	0.01	N/A	ND	PASS
Flonicamid	0.007/0.022	0.025	N/A	ND	PASS
Fludioxonil	0.003/0.010	0.01	N/A	ND	PASS
Fluopyram <sup>‡</sup>	0.003/0.009	0.01	N/A	ND	PASS
Hexythiazox	0.003/0.010	≥LOQ	N/A	ND	PASS
lmazalil	0.003/0.009	0.01	N/A	ND	PASS
Imidacloprid	0.003/0.010	0.01	N/A	ND	PASS
Iprodione	0.077 / 0.233	0.5	N/A	ND	PASS
Kinoprene	0.077 / 0.233	1.25	N/A	ND	PASS
Kresoxim-methyl	0.006/0.019	0.15	N/A	ND	PASS
$\lambda$ -Cyhalothrin	0.068 / 0.206	≥LOQ	N/A	ND	PASS
Malathion	0.003 / 0.009	0.01	N/A	ND	PASS
Metalaxyl	0.003/0.010	0.01	N/A	ND	PASS
Methiocarb	0.003 / 0.008	0.01	N/A	ND	PASS
Methomyl	0.008 / 0.025	0.025	N/A	ND	PASS
Methoprene <sup>‡</sup>	0.172 / 0.5 <mark>21</mark>	≥LOQ	N/A	ND	PASS
Mevinphos	0.008/0.024	0.025	N/A	ND	PASS
MGK-264	0.01 <mark>5 / 0.047</mark>	≥LOQ	N/A	ND	PASS
Myclobutanil	0.003/0.009	0.01	N/A	ND	PASS
Naled	0.021/0.064	≥LOQ	N/A	ND	PASS
Novaluron	0.002/0.005	0.025	N/A	ND	PASS
Oxamyl	0.017/0.051	1.5	N/A	ND	PASS
Paclobutrazol	0.003/0.010	0.01	N/A	ND	PASS
Parathion-methyl	0.016 / 0.050	≥LOQ	N/A	ND	PASS
Pentachloronitro- benzene (Quintozene)*	0.004 / 0.012	≥LOQ	N/A	ND	PASS
Permethrin	0.056 / 0.168	≥LOQ	N/A	ND	PASS
Phenothrin	0.016 / 0.047	≥LOQ	N/A	ND	PASS
Phosmet	0.007/0.020	≥LOQ	N/A	ND	PASS
Piperonyl Butoxide	0.010/0.029	1.25	N/A	ND	PASS
Pirimicarb	0.003 / 0.009	0.01	N/A	ND	PASS
Prallethrin	0.015 / 0.046	≥LOQ	N/A	ND	PASS
Propiconazole	0.027 / 0.080	≥LOQ	N/A	ND	PASS
Propoxur	0.003 / 0.008	0.01	N/A	ND	PASS
Pyraclostrobin	0.003/0.010	0.01	N/A	ND	PASS

Continued on next page







### Pesticide Analysis Continued

#### PESTICIDE TEST RESULTS - 12/23/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Pyrethrins	0.016/0.049	≥LOQ	N/A	ND	PASS
Pyridaben	0.005 / 0.017	0.02	N/A	ND	PASS
Pyriproxyfen	0.003 / 0.009	≥LOQ	N/A	ND	PASS
Resmethrin	0.013/0.039	0.05	N/A	ND	PASS
Spinetoram	0.003/0.010	0.01	N/A	ND	PASS
Spinosad	0.003/0.010	0.01	N/A	ND	PASS
Spirodiclofen	0.031 / 0.093	≥LOQ	N/A	ND	PASS
Spiromesifen	0.016 / 0.050	≥LOQ	N/A	ND	PASS
Spirotetramat	0.003/0.010	0.01	N/A	ND	PASS
Spiroxamine	0.020 / 0.062	≥LOQ	N/A	ND	PASS
Tebuconazole	0.003/0.010	0.01	N/A	ND	PASS
Tebufenozide	0.003 / 0.008	0.01	N/A	ND	PASS
Teflubenzuron	0.007/0.022	0.025	N/A	ND	PASS
Tetrachlorvinphos	0.003 / 0.008	0.01	N/A	ND	PASS
Tetramethrin	0.021 / 0.063	≥LOQ	N/A	ND	PASS
Thiabendazole	0.006 / 0.020	≥LOQ	N/A	ND	PASS
Thiacloprid	0.003 / 0.009	0.01	N/A	ND	PASS
Thiamethoxam	0.003/0.010	0.01	N/A	ND	PASS
Thiophanate-methyl	0.013 / 0.040	≥LOQ	N/A	ND	PASS
Trifloxystrobin	0.003 / 0.009	0.01	N/A	ND	PASS



### **Mycotoxin Analysis**

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

### MYCOTOXIN TEST RESULTS - 12/23/2024 PASS

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (μg/kg)	MEASUREMENT UNCERTAINTY (µg/kg)	RESULT (μg/kg)	RESULT
Aflatoxin B1	1.6 <mark>/ 5.0</mark>	5	N/A	ND	PASS
Aflatoxin B2	1. <mark>4/4.1</mark>		N/A	ND	
Aflatoxin G1	1.6 / 4.9		N/A	ND	
Aflatoxin G2	1.6 / 5.0		N/A	ND	
Ochratoxin A	1.6 / 5.0	5	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS







### **Residual Solvents Analysis**

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Heptanes = n.Butane + 2-Methylpropane (Isobutane)
Total Heptanes = 2,2-Dimethylpentane (Neoheptane) +
2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane + 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) +
3-Methylhexane + 3-Ethylpentane + n-Heptane
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) +
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

### RESIDUAL SOLVENTS TEST RESULTS - 12/23/2024 **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propane	0.234 / 0.781	1000	N/A	ND	PASS
2-Methylpropane (Isobutane)	0.052/0.173		N/A	ND	
n-Butane	0.019 / 0.063		N/A	ND	
Total Butanes		1000		ND	PASS
n-Pentane	0.310 / 1.033	1000	N/A	ND	PASS
n-Hexane	0.110 / 0.366	60	N/A	ND	PASS
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642		N/A	ND	
2,3-Dimethylpentane	1.009 / 3.365		N/A	ND	
2,4-Dimethylpentane	0.737 / 2.458		N/A	ND	
3,3-Dimethylpentane	0.198 / 0.660		N/A	ND	
2,2,3-Trimethylbutane (Triptane)	0.521 / 1.738		N/A	ND	
2-Methylhexane (Isoheptane)	0.610/2.034		N/A	ND	
3-Methylhexane	0.235 / 0.785		N/A	ND	
3-Ethylpentane	0.304 / 1.012		N/A	ND	
n-Heptane	13.12 / 43.72		N/A	ND	
Total Heptanes		1000		ND	PASS
Benzene	0.089 / 0.295	2	N/A	ND	PASS
Toluene	0.115 / 0.382	180	N/A	ND	PASS
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)	0.451 / 1.502		N/A	ND	
1,2-Dimethylbenzene (o-Xylene)	0.387 / 1.289		N/A	ND	
Total Xylenes		430		ND	PASS
Methanol	53.92 / 163.4	600	N/A	<loq< th=""><th>PASS</th></loq<>	PASS
Ethanol	8.984/27.23	1000	N/A	ND	PASS
2-Propanol (Isopropyl Alcohol)	8.421/25.52	1000	N/A	ND	PASS
Acetone	10.59 / 32.08	1000	N/A	<loq< td=""><td>PASS</td></loq<>	PASS
Ethyl Acetate	1.123 / 3.745	1000	N/A	ND	PASS



### **Heavy Metals Analysis**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

#### HEAVY METALS TEST RESULTS - 12/22/2024 PASS

COMPOUND	LO <mark>D/LOQ</mark> (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	1.5	N/A	ND	PASS







### **Microbiology Analysis**

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by  $3M^{\rm TM}$  Petrifilm  $^{\rm TM}$  and plate counts of microbiological contaminants.

**Method:** QSP 6794 - Plating with  $3M^{TM}$  Petrifilm<sup>TM</sup>

### MICROBIOLOGY TEST RESULTS (PCR) - 12/24/2024 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Salmonella spp.	Not Detected in 25g	ND	PASS
Shiga toxin-producing Escherichia coli	Not Detected in 25g	ND	PASS

### MICROBIOLOGY TEST RESULTS (PLATING) - 12/24/2024 PASS

COMPOUND	ACTION LIMIT (cfu/g)	RESULT (cfu/g)	RESULT
Coliforms	100	ND	PASS
Total Aerobic Bacteria	10000	4600.0	PASS
Total Yeast and Mold	1000	ND	PASS

### **NOTES**

Reason for Amendment: Unit/Serving Mass Change